

Message

From: Renczkowski, Daniel (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MASSMAIL-01/CN=RECIPIENTS/CN=DANIEL.RENCZKOWSKI]
Sent: 10/13/2010 6:06:07 PM
To: Ronan, Christina (EAS) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=Christina.Pujals]
CC: Corbett, Kate (DPH) [/O=COMMONWEALTH OF MASSACHUSETTS/OU=MassMail-01/cn=Recipients/cn=Kate.Corbett]
Subject: RE: [REDACTED]

Hi Christina. We've compiled all the data for this case and Kate will more than likely mail it out to you tomorrow morning. Let us know if you need anything else or have any questions. Thanks.

Daniel Renczkowski

Forensic Drug Laboratory
William A Hinton State Laboratory Institute
Massachusetts Department of Public Health
305 South Street Boston, MA 02130
voice 617-983-6630 fax 617-983-6625
daniel.renczkowski@state.ma.us

From: Ronan, Christina (EAS)
Sent: Tuesday, October 12, 2010 10:24 AM
To: Corbett, Kate (DPH); Renczkowski, Daniel (DPH)
Subject: [REDACTED]

Hi Kate and Daniel:

Date received: 2-5-2010
Date analyzed: 3-30-2010

Defense counsel had requested discovery packets on these certifications. The next court date for compliance is 11-18. Can you get me your stuff by first week of November so attorney has time to look at it prior to court date please?

THANKS!!!

Christina P. Ronan
Assistant District Attorney
Essex District Attorney's Office
Ten Federal Street
Salem, MA 01970
P: 978.745.6610 x 5030
F: 978.744.9470

The preceding email message (including any attachments) contains information that may be confidential, may be protected by the attorney-client or other applicable privileges, or may constitute non-public information. It is intended to be conveyed only to the designated recipient(s) named above. If you are not an intended recipient of this message, please notify the sender by replying to this message and then delete all copies of it from your computer system. Any use, dissemination, distribution, or reproduction of this message by unintended recipients is not authorized and may be unlawful.

